Version: N°1 (07/07/2017)

**GISS** 

NETTOYANT ECRAN PLAT LCD SPRAY - 868065

Date: 21/11/2017 Page 1/7 Revision: N° 7 (07/07/2017)

# SAFETY DATA SHEET

( REACH regulation (EC) n° 1907/2006 - n° 2015/830)

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: NETTOYANT ECRAN PLAT LCD SPRAY

Product code: 868065

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.3. Details of the supplier of the safety data sheet

Registered name company: IPH BRANDS

Address: 31 rue de la Baume, 75008 Paris, France

Telephone: +33 1-44-86-08-10

infoclient@giss.fr http://www.giss.fr

# 1.4. Emergency telephone number: +33 (0)1.45.42.59.59.

Association/Organisation: INRS/ORFILA http://www.centres-antipoison.net.

# **SECTION 2: HAZARDS IDENTIFICATION**

# 2.1. Classification of the substance or mixture

# In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

#### 2.2 . Label elements

Detergent mixture (see section 15).

Mixture for spray application.

# In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2- METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

Precautionary statements - General :

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Precautionary statements - Response :

P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor/.../if you feel unwell.

Precautionary statements - Storage:

P404 Store in a closed container.

Precautionary statements - Disposal :

P501 Eliminate the contents / container according to the local regulations.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

**Composition:** 

Identification	(EC) 1272/2008	Note	%

Version: N°1 (07/07/2017)

**GISS** 

# NETTOYANT ECRAN PLAT LCD SPRAY - 868065

Date: 21/11/2017 Page 2/7 Revision: N° 7 (07/07/2017)

INDEX: 613_167_005B	GHS06, GHS05, GHS09	0 <= x % < 1
CAS: 55965-84-9	Dgr	
	Acute Tox. 3, H301	
MIXTURE OF:	Acute Tox. 2, H310	
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Skin Corr. 1B, H314	
ONE [EC NO. 247-500-7] AND	Skin Sens. 1, H317	
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Acute Tox. 2, H330	
220-239-6] (3:1)	Aquatic Acute 1, H400	
	M Acute = 10	
	Aquatic Chronic 1, H410	
	M Chronic = 10	

# **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

### 4.1 . Description of first aid measures

# In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

# In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

#### In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

#### In the event of swallowing:

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

# 4.2 . Most important symptoms and effects, both acute and delayed

No data available.

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

#### SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

# 5.1. Extinguishing media

### Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO 2)

#### Unsuitable methods of extinction

In the event of a fire, do not use: -

# 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health. Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO 2)

# 5.3 . Advice for firefighters

GISS

Revision : N° 7 (07/07/2017)

Date: 21/11/2017 Page 3/7

# NETTOYANT ECRAN PLAT LCD SPRAY - 868065

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

# 6.1. Personal precautions, protective equipment and emergency

**procedures** Consult the safety measures listed under headings 7 and 8.

# For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

# 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

The elimination must be carried out by a registrated salvage professionnal.

**6.4. Reference to other sections** No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

#### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

### Fire prevention:

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

# Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Where the personnel must carry out work in a booth, whether for spraying or otherwise, the ventilation may be inadequate to control particles and solvent vapors in every case.

It is therefore recommended that personnel wear masks with a compressed air supply during spraying operations until the concentration of particles and solvent vapors has fallen below the exposure limits.

Packages which have been opened must be reclosed carefully and stored in an upright position.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

# 7.2 . Conditions for safe storage, including any incompatibilities

No data available.

### Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

#### Packaging

Always keep in packaging made of an identical material to the original.

# 7.3 . Specific end use(s )

No data available.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

No data available.

Version: N°1 (07/07/2017)

**GISS** 

NETTOYANT ECRAN PLAT LCD SPRAY - 868065

Date: 21/11/2017 Page 4/7 Revision: N° 7 (07/07/2017)

#### 8.2. Exposure controls

# Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

# - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR )) Recommended properties :
- Impervious gloves in accordance with standard EN 374

#### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on

basic physical and

chemical properties

General information:

Physical state: Fluid liquid.

Important health, safety and environmental information

pH: Not stated.

Slightly basic.

Boiling point/boiling range: 100 °C. Flash point interval: Not relevant.

Vapour pressure (50°C): Below 110 kPa (1.10 bar).

Density: = 1
Water solubility: Dilutable.

9.2. Other

information No data

available.

# **SECTION 10: STABILITY AND REACTIVITY**

# 10.1. Reactivity No data

available.

# 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

# 10.3. Possibility of hazardous

reactions

Version: N°1 (07/07/2017)

**GISS** 

# NETTOYANT ECRAN PLAT LCD SPRAY - 868065

Date: 21/11/2017 Page 5/7

Revision: N° 7 (07/07/2017)

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

# 10.4. Conditions to avoid

Avoid:

- frost
- heat

# 10.5 . Incompatible materials

Keep away from:

- strong oxidising agents
- strong acids

# 10.6. Hazardous decomposition products The

thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO 2)

# **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1 . Information on toxicological effects

Splashes in the eyes may cause irritation and reversible damage 11.1.1

. Substances

### Acute toxicity:

MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2- METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1) (CAS: 55965-84-9)

Oral route: LD50 = 64

mg/kg Species:

Rat

Dermal route: LD50 = 82

mg/kg Species:

Rabbit

LC50 = 0.33 mg/lInhalation route (Dusts/mist):

Species: Rat

# 11.1.2. Mixture

# Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

# **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

### 12.1.1 . Substances

MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2 - METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1) (CAS: 55965-84-9)

LC50 = 0.19 mg/lFish toxicity:

> Factor M = 1Species: Oncorhynchus mykiss Duration of exposure: 96 h

OECD Guideline 203 (Fish, Acute Toxicity Test)

NOEC = 0.05 mg/lFactor M = 1

Species: Oncorhynchus mykiss Duration of exposure: 14 days

Crustacean toxicity: EC50 = 0.16 mg/l

Factor M = 1

Version: N°1 (07/07/2017)

GISS

NETTOYANT ECRAN PLAT LCD SPRAY - 868065

Species : Daphnia magna Duration of exposure : 48 h

OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

Date: 21/11/2017 Page 6/7

Revision: N° 7 (07/07/2017)

NOEC = 0.1 mg/l Factor M = 1 Species : Daphnia magna Duration of exposure : 21 days

Algae toxicity: ECr50 = 0.027 mg/l

Factor M = 10

Species: Pseudokirchnerella subcapitata

Duration of exposure: 72 h

#### **12.1.2** . Mixtures

No aquatic toxicity data available for the mixture.

#### 12.2. Persistence and degradability

#### 12.2.1 . Substances

MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2- METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1) (CAS: 55965-84-9)

Biodegradability: no degradability data is availab

no degradability data is available, the substance is considered as not degrading quickly.

# 12.3. Bioaccumulative potential

No data available.

# 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

12.6 . Other adverse effects

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

# 13.1. Waste treatment methods

Do not pour into drains or waterways.

# Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

# Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

# **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

14.1. UN number

-

# 14.2 . UN proper shipping name

. . .

# $\textbf{14.3. Transport hazard class} (\textbf{es} \ )$

-

# 14.4 . Packing group

Version: N°1 (07/07/2017)

GISS

# NETTOYANT ECRAN PLAT LCD SPRAY - 868065

Date: 21/11/2017 Page 7/7

Revision: N° 7 (07/07/2017)

-

#### 14.5. Environmental hazards

-

# 14.6. Special precautions for user

-

# SECTION 15: REGULATORY INFORMATION

#### 15.1 . Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2016/1179. (ATP 9)
- Container information: No data available.
- Particular provisions: No data available.
- Labelling for detergents (EC Regulation No. 648/2004,907/2006):
- less than 5 %: nonionic surfactants
- preservation agents

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [ec no. 247-500-7] and 2-methyl-2hisothiazol-3-one [ec no. 220-239-6] (3:1)

#### 15.2. Chemical safety assessment

No data available.

# **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### Wording of the phrases mentioned in section 3:

H301 Toxic if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

### Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.